


Enespro ArcGuard 100 cal Arc Flash Bib Overalls



Specs

Product Code	C45KDQE_ _32
Sizes	MD-2X
Stock Colors	
Fabric / Material	Multilayer DuPont™ Nomex® and Kevlar®

Compliance

Arc Rating 100 cal/cm²

CAT Level CAT 4

Standards

- NFPA 70E
- ASTM F1506
- CSA Z462
- OSHA 1910.269

Features

Features

- FR hook and loop calf closure for easy boot entry
- Quick disconnect and easy adjustable shoulder straps for quick entry
- Side slant pockets on bib overalls
- Expandable leg opening to fit over boots
- Inherently flame resistant for FR protection that will not wash out
- Embroidered with arc rating
- Made in the USA

Product Care

Product Care

- READ THE GARMENT LABEL AND LAUNDRY PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use chlorine bleach or detergents containing bleach. DO NOT use hydrogen peroxide. DO NOT use fabric softeners or starch. DO NOT line-dry in sunlight.
- Dry Cleanable. Machine wash warm (Max. 140°F / 60°C) . Detergent only. Tumble dry low (Max. 160°F / 71°C).
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

Sizing Chart

Arc Flash Bib Overall (C45)

Size	Chest	Waist
SM	31" - 34"	33" - 35"
MD	34" - 37"	36" - 38"
LG	37" - 40"	39" - 41"
XL	40" - 44"	42" - 45"
2X	44" - 48"	46" - 49"
3X	48" - 52"	50" - 53"
4X	52" - 56"	54" - 57"

