


Enespro ArcGuard 100 cal Arc Flash Coat



Specs

Product Code	C04KDQE03_ _32
Sizes	MD-2X
Stock Colors	
Fabric / Material	Multilayer DuPont™ Nomex® and Kevlar®

Compliance

Arc Rating 100 cal/cm²

CAT Level CAT 4

Standards

- NFPA 70E
- ASTM F1506
- CSA Z462
- OSHA 1910.269

Features

Features

- FR hook & loop front closure
- Rib knit cuffs for a comfortable, secure fit
- Generous cut allows for unrestrictive movement
- Stand up collar for extra coverage
- Inherently flame resistant for FR protection that will not wash out
- Embroidered with arc rating
- Made in the USA

Product Care

Product Care

- READ THE GARMENT LABEL AND LAUNDRY PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use chlorine bleach or detergents containing bleach. DO NOT use hydrogen peroxide. DO NOT use fabric softeners or starch. DO NOT line-dry in sunlight.
- Dry Cleanable. Machine wash warm (Max. 140°F / 60°C) . Detergent only. Tumble dry low (Max. 160°F / 71°C).
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

Sizing Chart

Arc Flash Coat (C04)

Size	Chest	Sleeve Length
SM	37" - 41"	36"
MD	40" - 44"	37"
LG	43" - 47"	38"
XL	46" - 50"	39"
2X	49" - 53"	40"
3X	52" - 56"	40"
4X	55" - 59"	41"

