

DRIFIRE 4.4 FR Coverall











Specs

Product Code	DF2-450C-CA-NB
Sizes	SM-3X, RG MD-3X, TL
Stock Colors	
Fabric / Material	4.4 oz. DRIFIRE® Blend

Compliance

Arc Rating	8 cal/cm ²
CAT Level	CAT 2
Standards	 NFPA 70E NFPA 2112 ASTM F1506 CSA Z462 OSHA 1910.269

Features

eatures	 Dual Hazard protection against arc flash and flash fire The lightest weight CAT 2 protection available! Wicks & dries 2-3X faster Inherently flame resistant, FR protection will not wash/wear out Odor control technology Quickly identify compliance with exterior labeling Superior colorfastness & durability 6 pocket design
---------	--

Product Care

Product Care	 READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL. DO NOT use chlorine bleach or detergents containing bleach. DO NOT use fabric softeners. DO NOT iron. Wash/Laundering Instructions: Machine wash warm. Tumble dry low. Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc. If contaminants cannot be removed after laundering, it is best to discontinue use of garment.
--------------	---

Sizing Chart

DRIFIRE∗ 4.4™ Coverall						
Size	Chest	Inseam Length				
SM	30" - 34"	Regular	31"			
		Tall	33"			
MD	34" - 38"	Regular	31"			
	34 - 30	Tall	33"			
LG	38" - 42"	Regular	31"			
		Tall	33"			
XL	42" - 46"	Regular	31"			
		Tall	33"			
2X	46" - 50"	Regular	31"			
		Tall	33"			
3X	50" - 54"	Regular	31"			
		Tall	33"			
4X	54" - 58"	Regular	31"			
		Tall	33"			
5X	58" - 62"	Regular	31"			
		Tall	33"			

