



NATIONAL
SAFETY APPAREL®

DRIFIRE 4.4 FR Coverall



Specs

Product Code DF2-450C-CA-NB-__

Sizes SM-3X, RG | MD-3X, TL

Stock Colors



Fabric / Material 4.4 oz. DRIFIRE® Blend

Compliance

Arc Rating

8 cal/cm²

CAT Level

CAT 2

Standards

- NFPA 70E
- NFPA 2112
- ASTM F1506
- CSA Z462
- OSHA 1910.269

Features

Features

- Dual Hazard protection against arc flash and flash fire
- The lightest weight CAT 2 protection available!
- Wicks & dries 2-3X faster
- Inherently flame resistant, FR protection will not wash/wear out
- Odor control technology
- Quickly identify compliance with exterior labeling
- Superior colorfastness & durability
- 6 pocket design

Product Care

Product Care

- READ THE GARMENT LABEL AND LAUNDRER PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use chlorine bleach or detergents containing bleach. DO NOT use fabric softeners. DO NOT iron.
- Wash/Laundering Instructions: Machine wash warm. Tumble dry low.
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

Sizing Chart

DRIFIRE® 4.4™ Coverall

Size	Chest	Inseam Length	
SM	30" - 34"	Regular	31"
		Tall	33"
MD	34" - 38"	Regular	31"
		Tall	33"
LG	38" - 42"	Regular	31"
		Tall	33"
XL	42" - 46"	Regular	31"
		Tall	33"
2X	46" - 50"	Regular	31"
		Tall	33"
3X	50" - 54"	Regular	31"
		Tall	33"
4X	54" - 58"	Regular	31"
		Tall	33"
5X	58" - 62"	Regular	31"
		Tall	33"

