NATIONAL SAFETY APPAREL®

DRIFIRE FR Hi-Vis Utility Shirt Class 3

NFPA 70E | TYPE R CLASS 3 | CSA Z462 | ASTM F1506

Specs

Product Code	DF2-AX3-324LS-HY-_ _
Sizes	SM-3X, RG | MD-3X, TL
Stock Colors	
Fabric / Material	7 oz. DRIFIRE® Twill

Compliance

Arc Rating	12 cal/cm²
CAT Level	CAT 2
ANSI Type / Class	Type R Class 3
Standards	• NFPA 70E • ANSI/ISEA 107 Type R Class 3 • ASTM F1506 • CSA Z462 • OSHA 1910.269

Features

Features	• Inherently flame resistant, FR protection will not wash/wear out • Unsurpassed moisture wicking and drying rate • Odor control technology • Features two chest pockets with button flap closure and pen slot • FR 3M™ Scotchlite™ Reflective Comfort Trim • Quickly identify compliance with exterior labeling • Breathable performance fabric for maximum comfort • Gap for logo on the left chest

Product Care

Product Care	• READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL. • DO NOT use chlorine bleach or detergents containing bleach. DO NOT use fabric softeners. DO NOT iron. • Wash/Laundering Instructions: Machine wash warm. Tumble dry low. • Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc. • If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

Sizing Chart

DRIFIRE® Hi-Vis Work Shirts		
Size	Chest	Sleeve Length
SM	41.5"	34"
MD	45.5"	34.5"
LG	49.5"	35"
XL	53.5"	35.5"
2X	57.5"	36"
3X	61.5"	36.5"