



NATIONAL
SAFETY APPAREL®

DRIFIRE 4.4 FR Work Shirt



Specs

Product Code DF2-CM-450C-LS-NB-__

Sizes SM-3X, RG | MD-3X, TL

Stock Colors 

Fabric / Material 4.4 oz. DRIFIRE® Blend

Compliance

Arc Rating

8 cal/cm²

CAT Level

CAT 2

Standards

- NFPA 70E
- NFPA 2112
- ASTM F1506
- CSA Z462
- OSHA 1910.269

Features

Features

- Dual certified to protect against flash fire and arc flash hazards
- Inherently flame resistant, FR protection will not wash/wear out
- Lightweight, breathable fabric for maximum comfort
- Odor control technology
- Quickly identify compliance with exterior labeling
- Moisture-wicking technology to keep you drier
- FR fabric will not melt, drip, or ignite
- Button down collar
- Button down front closure
- Button down wrist cuffs
- Two front chest pockets with flaps and button closure
- Imported

Product Care

Product Care

- READ THE GARMENT LABEL AND LAUNDRER PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use chlorine bleach or detergents containing bleach. DO NOT use fabric softeners. DO NOT iron.
- Wash/Laundering Instructions: Machine wash warm. Tumble dry low.
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

Sizing Chart

NSA, VIZABLE® & DRIFIRE® Work Shirts (SHR-RG)
*Does not Include DRIFIRE HI-VIs Work Shirts

Size	Chest	Center Back	Sleeve Length
SM	32" - 35"	31.375"	34.5"
MD	36" - 39"	31.875"	35.5"
LG	40" - 43"	32.375"	36.5"
XL	44" - 47"	32.875"	37.5"
2X	48" - 51"	33.375"	38.5"
3X	52" - 55"	33.875"	39.5"
4X	56" - 59"	34.125"	40.5"
5X	60" - 63"	34.625"	42.5"

