

DRIFIRE 4.4 FR Work Shirt



Specs

Product Code DF2-CM-450C-LS-NB-__

Sizes SM-3X, RG | MD-3X, TL

Stock Colors



Fabric / Material 4.4 oz. DRIFIRE® Blend

Compliance

Arc Rating 8 cal/cm²

CAT Level CAT 2

Standards

- NFPA 70E
- NFPA 2112
- ASTM F1506
- CSA Z462
- OSHA 1910.269

Features

Features

- The lightest weight CAT 2 work shirt available!
- Wicks & dries 2-3X faster than other FR work shirts
- Dual Hazard protection against arc flash and flash fire
- Inherently flame resistant, FR protection will not wash/wear out
- Odor control technology
- Quickly identify compliance with exterior labeling
- Superior colorfastness & durability
- Two front chest pockets with flaps and button closure

Product Care

Product Care

- READ THE GARMENT LABEL AND LAUNDRY PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use chlorine bleach or detergents containing bleach. DO NOT use fabric softeners. DO NOT iron.
- Wash/Laundrying Instructions: Machine wash warm. Tumble dry low.
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundrying, it is best to discontinue use of garment.

