

Enespro 12 cal PureView Faceshield with Universal Adapter



Specs

Product Code	H12HTU
Sizes	One Size Fits Most
Stock Colors	
Fabric / Material	Plastic

Compliance

Arc Rating	12 cal/cm²
CAT Level	CAT 2
Standards	<ul style="list-style-type: none">• NFPA 70E• ASTM F2178• CSA Z462• ANSI/ISEA Z87.1 (Impact Rating Z81+)• OSHA 1910.269

Features

Features	<ul style="list-style-type: none">• Hard hat sold separately• Adjustable settings allow the faceshield to be secured in various positions• Attached see through chin cup for enhanced peripheral vision• High visible light transmission for greater visibility• Lightweight design• Made in the USA
----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Product Care

Product Care	<ul style="list-style-type: none">• DO NOT use ammonia based cleaners. DO NOT use any abrasives or polishes. NEVER use if cracked or broken.• Remove from hood if applicable. Wash with warm soapy water. Mild soap only. Rinse thoroughly. Pat dry with a soft cloth.• Always transport and store your faceshield, goggles, and glasses in a soft cloth bag to minize wear & tear.• Wash according to the instructions above to remove any contaminants in order to maintain performance when garment becomes soiled with dirt, greases, oils, etc.• If contaminants cannot be removed after laundering, it is best to discontinue use of garment.• HLITEKIT sold separately
--------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

