


# NSA Arc H2O FR Hi-Vis Rain Bib Class E



## Specs

Product Code	<ul style="list-style-type: none"><li>• R40RL14__ (Fluorescent Yellow)</li><li>• R40RQ14__ (Fluorescent Orange)</li></ul>
Sizes	SM-3X   Other sizes available upon request
Stock Colors	
Made To Order Colors	
Fabric / Material	PU Coated FR Cotton

## Compliance

Arc Rating	9.8 cal/cm²
CAT Level	CAT 2
ANSI Type / Class	Class E
Standards	<ul style="list-style-type: none"><li>• NFPA 70E</li><li>• ANSI/ISEA 107 Class E</li><li>• ASTM F1891</li><li>• ASTM F2733</li><li>• CSA Z462</li><li>• OSHA 1910.269</li></ul>

## Features

Features	<ul style="list-style-type: none"><li>• Waterproof welded seams with reinforced stress points to provide durable construction</li><li>• FR polyurethane is durable and flexible that will not become brittle as it ages</li><li>• Convenient snap fly pant front</li><li>• Adjustable shoulder straps</li><li>• 2" silver reflective trim</li><li>• Adjustable elastic suspender system for fit and comfort</li><li>• FR hook and loop tabs to adjust leg cuff</li><li>• Made in the USA</li></ul>
----------	--

### Product Care

- READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT Bleach.
- Wash/Laundering Instructions: Superficial dirt on the coating may be removed by wiping with a soft cloth moistened with warm, soapy water, then rinsed with plain water. More substantial dirt may need to be treated by wiping with alcohol, followed by warm water, then rinsed with plain water.
- Drying: Air drying is preferred, but the product needs to be completely dried before storage to avoid possibly damaging the polyurethane coating.
- If contaminants cannot be removed after laundering, it is best to discontinue use of the garment.

