



NATIONAL  
SAFETY APPAREL®

# UltraSoft AC FR Work Shirt



## Specs

Product Code SHRDR3\_\_RG

Stock Sizes SM-3X

Stock Colors



Made To Order Colors



Fabric / Material 7 oz. Westex® UltraSoft AC®

## Compliance

---

Arc Rating 8 cal/cm<sup>2</sup>

CAT Level CAT 2

Standards

- NFPA 70E
- NFPA 2112
- ASTM F1506
- CSA Z462
- OSHA 1910.269

## Features

---

Features

- Dual certified to protect against flash fire and arc flash hazards
- Button down collar
- Reinforced left front pocket
- Adjustable 2-button cuff closure
- Double layer back yoke
- Inherently flame resistant, FR protection will not wash/wear out
- FR fabric will not melt, drip, or ignite
- Made with premium Pima cotton for a softer finish
- Made in the USA

## Product Care

---

Product Care

- READ THE GARMENT LABEL AND LAUNDRER PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use chlorine bleach or detergents containing bleach. DO NOT use hydrogen peroxide. DO NOT use fabric softeners or starch.
- Wash/Laundrying Instructions: Dry Cleanable. Machine wash warm (Max. 165°F / 74°C). Detergent only.
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundrying, it is best to discontinue use of garment.

## Sizing Chart

---

**NSA, VIZABLE® & DRIFIRE® Work Shirts (SHR-RG)**

\*Does not include DRIFIRE HI-VIs Work Shirts

Size	Chest	Center Back	Sleeve Length
<b>SM</b>	32" - 35"	31.375"	34.5"
<b>MD</b>	36" - 39"	31.875"	35.5"
<b>LG</b>	40" - 43"	32.375"	36.5"
<b>XL</b>	44" - 47"	32.875"	37.5"
<b>2X</b>	48" - 51"	33.375"	38.5"
<b>3X</b>	52" - 55"	33.875"	39.5"
<b>4X</b>	56" - 59"	34.125"	40.5"
<b>5X</b>	60" - 63"	34.625"	42.5"