

# **DRIFIRE FR Control Long Sleeve T-Shirt**













#### **Specs**

• C52FKSRLS\_\_(Navy)
• C52JKSRLS\_\_(Desert Sand)

Sizes SM-3X

Stock Colors

Fabric / Material 5.5 oz. FR CONTROL 2.0™

## Compliance

| Arc Rating | 4 cal/cm <sup>2</sup>  |
|------------|--|
| CAT Level  | CAT 1  |
| Standards  | <ul><li>NFPA 70E</li><li>ASTM F1506</li><li>CSA Z462</li><li>OSHA 1910.269</li></ul> |

#### **Features**

| Features | <ul> <li>Proactively regulates skin temperature (+/- 3 degrees)</li> <li>Reduces perspiration by as much as 34%</li> <li>Stretch and flexibility to maintain a comfortable work environment</li> <li>Heat stress reduction</li> <li>Odor control</li> <li>Tagless shirt collar</li> <li>Superior moisture wicking and dry rate</li> <li>Inherently flame resistant, FR protection will not wash/wear out</li> <li>Lightweight, breathable fabric</li> <li>Knit wrists keep sleeves in place</li> <li>Made in the USA</li> </ul> |  |
|----------|---|--|
|----------|---|--|

#### **Product Care**

| Product Care | <ul> <li>READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL.</li> <li>DO NOT use chlorine bleach or detergents containing bleach. DO NOT use fabric softeners. DO NOT iron. DO NOT dry clean.</li> <li>Wash/Laundering Instructions: Machine wash warm. Tumble dry low.</li> <li>Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.</li> <li>If contaminants cannot be removed after laundering, it is best to discontinue use of garment.</li> </ul> |
|--------------|---|
|--------------|---|

### **Sizing Chart**

| FR Control™ / FR Control 2.0™ Tees (C51/C52) |           |  |  |
|--|-----------|--|--|
| Size   | Chest     |  |  |
| SM   | 25" - 29" |  |  |
| MD   | 29" - 33" |  |  |
| LG   | 33" - 37" |  |  |
| XL   | 37" - 41" |  |  |
| 2X   | 41" - 45" |  |  |
| 3X   | 45" - 49" |  |  |
| 4X   | 49" - 53" |  |  |
| 5X   | 53" - 57" |  |  |

