



NATIONAL  
SAFETY APPAREL®

# DRIFIRE FR Hi-Vis Work Shirt Class 3



## Specs

Product Code SHRTV3C3\_ \_ \_ \_

Sizes SM-3X, RG | MD-3X, TL

Stock Colors 

Fabric / Material 6.5 oz. Westex® DH

## Compliance

---

Arc Rating 8.9 cal/cm<sup>2</sup>

CAT Level CAT 2

ANSI Type / Class Type R Class 3

Standards

- ASTM F1506
- OSHA 1910.269
- NFPA 70E
- CSA Z462
- NFPA 2112
- ANSI/ISEA 107 Type R Class 3

## Features

---

Features

- FR 3M™ Scotchlite™ Reflective Comfort Trim
- Button Down Collar
- Adjustable 2-button cuff closure
- Left Front Chest Pocket
- Moisture Wicking & Breathable
- Non-restricting cut for easy range of motion

## Product Care

---

Product Care

- READ THE GARMENT LABEL AND LAUNDRY PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use bleach or chlorine. DO NOT use fabric softeners or starch.
- Wash/Laundry Instructions: Dry cleanable. Machine wash warm (Max. 150°F).
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

## Sizing Chart

---

**NSA, VIZABLE® & DRIFIRE® Work Shirts (SHR-RG)**  
\*Does not Include DRIFIRE HI-VIs Work Shirts

Size	Chest	Center Back	Sleeve Length
<b>SM</b>	32" - 35"	31.375"	34.5"
<b>MD</b>	36" - 39"	31.875"	35.5"
<b>LG</b>	40" - 43"	32.375"	36.5"
<b>XL</b>	44" - 47"	32.875"	37.5"
<b>2X</b>	48" - 51"	33.375"	38.5"
<b>3X</b>	52" - 55"	33.875"	39.5"
<b>4X</b>	56" - 59"	34.125"	40.5"
<b>5X</b>	60" - 63"	34.625"	42.5"

