

DRIFIRE TECGEN FR Work Shirt















Specs

Product Code	• TCG011202 (Tan) • TCG011302 (Royal Blue) • TCG011502 (Grey) • TCG011602 (Navy) • TCG011902 (Light Blue)
Sizes	SM-3X (Regular, Long) additional sizes available upon request
Stock Colors	
Fabric / Material	5.5 oz. TECGEN SELECT® OPF Blend Twill

Compliance

Arc Rating	8 cal/cm ²
CAT Level	CAT 2
Standards	 NFPA 70E NFPA 2112 ASTM F1506 CSA Z462 OSHA 1910.269

Features

Features	 Features OPF, the latest carbon fabric technology Inherently flame resistant, FR protection will not wash/wear out Dual Hazard protection against arc flash and flash fire Excellent layering piece for added protection Unsurpassed moisture wicking and drying rate Lightweight, breathable fabric Two chest pockets with button closure flaps Pen/pencil slot in front pocket Button down collar
----------	---

Product Care

 READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL.

- DO NOT use chlorine bleach or detergents containing bleach. DO NOT use hydrogen peroxide. DO NOT use fabric softeners.
- Wash/Laundering Instructions: Dry Cleanable. Turn garment inside out prior to laundering. Machine wash warm (Max. 140°F / 60°C). Tumble dry warm.
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

Sizing Chart

Product Care

TECGEN SELECT* Work Shirts						
Size	Chest	Sleeve	Center Back			
SM	32" - 35"	Regular	33.75"	33.25"		
		Long	37.25"	34.75"		
MD	36" - 39"	Regular	35.25"	33.50"		
		Long	37.25"	35"		
LG	40" - 44"	Regular	35.75"	33.37"		
		Long	37.75"	35.25"		
	44" - 47"	Regular	36.25"	34"		
XL		Long	37.75"	35.50"		
2X	48" - 51"	Regular	36.25"	34.25"		
		Long	37.75"	35.75"		
3X	52" - 54"	Regular	36.75"	34.50"		
		Long	37.75"	36"		
4X	55" - 57"	Regular	36.75"	34.75"		
		Long	37.75"	36.25"		
5X	58" - 60"	Regular	38.5"	35"		
		Long	39.5"	36.50"		

