



# Enespro ArcGuard 40 cal Arc Flash Kit with Lift Front Hood



## Specs

Product Code	<ul style="list-style-type: none"> <li>• KIT4SC40LF_ _ _ _ (With Gloves)</li> <li>• KIT4SC40NGLF_ _ (No Gloves)</li> </ul>
Sizes	Garment: SM-3X   Gloves: 08-12
Stock Colors	
Fabric / Material	9 oz. FR Cotton Blend, Double Layer

## Compliance

---

Arc Rating 40 cal/cm<sup>2</sup>

CAT Level CAT 4

Standards

- NFPA 70E
- ASTM F1506
- CSA Z462
- OSHA 1910.269

## Features

---

Features

- FR hook and loop front closure
- Stand up collar for extra coverage
- FR cuffs improve fit with electrical gloves
- Quick disconnect and adjustable shoulder straps on bib overalls
- FR hook & loop calf closure to allow easy donning
- PureView™ faceshield technology features a greater range of visibility
- Lift front shield makes it easy to obtain fresh air while out of the hazard zone

## Sizing Chart

---

# ArcGuard® Kit Sizing Charts

Arc Flash Coat (C04)		
Size	Chest	Sleeve Length
SM	37" - 41"	36"
MD	40" - 44"	37"
LG	43" - 47"	38"
XL	46" - 50"	39"
2X	49" - 53"	40"
3X	52" - 56"	40"
4X	55" - 59"	41"

\*Other sizes available upon request

Arc Flash Bib Overall (C45)		
Size	Chest	Waist
SM	31" - 34"	33" - 35"
MD	34" - 37"	36" - 38"
LG	37" - 40"	39" - 41"
XL	40" - 44"	42" - 45"
2X	44" - 48"	46" - 49"
3X	48" - 52"	50" - 53"
4X	52" - 56"	54" - 57"

ArcGuard® Rubber Voltage Gloves	
Size	Hand Circumference
8	8" or less
9	8 - 9"
10	9 - 10"
11	10" - 11"
12	11" - 12"

