


Enespro ArcGuard 65 cal Arc Fash Crossvent Hood



Specs

Product Code	H65KDQTFANPV
Sizes	One Size Fits Most
Stock Colors	
Fabric / Material	Multilayer DuPont™ Nomex® and Kevlar®

Compliance

Arc Rating	65 cal/cm²
CAT Level	CAT 4
Standards	<ul style="list-style-type: none">• NFPA 70E• ASTM F2178• CSA Z462• OSHA 1910.269

Features

Features	<ul style="list-style-type: none">• PureView™ faceshield technology features a greater range of visibility• Premium anti-fog & scratch resistant coating on faceshield• Crossvent fans provide a gentle breeze that keeps you cool and decreases lens fogging• Inherently flame resistant, FR protection will not wash out• Hard hat included• Embroidered with arc rating• Made in the USA
----------	---

Product Care

Product Care	<ul style="list-style-type: none">• Remove faceshield and hard hat prior to washing hood. Rinse faceshield in warm water to clean debris.• DO NOT use chlorine bleach or detergents containing bleach. DO NOT use hydrogen peroxide. DO NOT use fabric softeners or starch. DO NOT line-dry in sunlight.• Machine wash warm (Max. 140°F / 60°C) Detergent only Tumble dry low (Max. 160°F / 71°C).• Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.• If contaminants cannot be removed after laundering, it is best to discontinue use of garment.
--------------	---

